

Марко Кажич

Scalable workflows for front end development











zamphyr.com

Work less. Do more.





Plan the future.

Make better teams.

Life and death of a Front end developer



I have yet to find a front end develop who likes designers. Establish ground rules and reflect them everywhere. It's called consistency.

Be on the same page.

From the start or as soon as possible.


Minimize friction.



Faster development
Easier debugging
Streamlined tooling
Improved performance

Split the concerns and use adequate tools.

Gitflow



goo.gl/Zjt6Ex



python -m http.server

TernJS ternjs.net

```
22
            animation(name: string, animationFactory: fn)
                                                             Localstorage, $state,
            config(configFn: fn)
            constant(name: string, value: ?)
            controller(name: string, constructor: fn)
            directive(name: string, directiveFactory: fn)
            factory(name: string, providerFunction: fn)
            filter(name: string, filterFactory: fn)
     string name
            provider(name: string, providerType: fn)
   [string] requires
                                                             essToken');
Register a controller. More..
                   Auth.togout().then(Tunction () {
```

JZCZ

Enforces you coding style guide so you don't have to.

jscs.info

Manage dependecies and use packages.



bfy.tw/2Io6

Install npm to install bower to install angular to install xyz...

"Something is rotten in the state of Denmark"






or

```
/// use notify if you are using a mac
                                    qulp.task('less', function() {
                                    ····return gulp.src([sourceLess + '/app.less'])
                                    pipe(less({
                                    compress: true

  Image: Control of the 
                                   ....pipe(autoprefixer('last-2-versions'))
                                   pipe(minifyCSS({
                                    keepBreaks: false
                                   · · · · · · · · }))
                                   pipe(rename('app.min.css'))
                                   .....pipe(gulp.dest(targetCss));
26
                                    });
                         27
                                    qulp.task('imagemin', function() {
                                    ·····return gulp.src(['./public/assets/images/**/*.png','./public/assets/images/**/*.svg'])
                                   pipe(imagemin({
                                    progressive: true,
                                   svgoPlugins: [{
                                   removeViewBox: false
                                  use: [pnqquant()]
                         36
                                   ·····}))
                                    |----pipe(gulp.dest('./public/assets/images'));
                         38
                                    });
                         39
                                    qulp.task('watch', function() {
                                   ----qulp.watch('./public/assets/less/**/*.less', function(event) {
                                   :---|----|console.log('File-'-+-event.path-+-'-was-'-+-event.type-+-',-running-tasks...');
                         43
                                    qulp.run('less');
                         44
                                    ····});
                         45
                                    });
                         46
                                    gulp.task('default', ['less', 'imagemin', 'watch']);
                         47
                         48
```

Recap

- Establish design and code guidelines
- Do integrations separately
- Use all/none the tools you need
- Automate all things
- Streamline the whole process



Подписывайся на @marxo